

Patient Name _____

Today's Date _____

| MEDICAL HISTORY | | | | |
|--|----------|---------------------|------------------------|--|
| Hospital visits since last office visit/reason | Facility | Attending physician | Date of hospital visit | Past surgeries (include date and description of any complications) |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| ALLERGY LIST | |
|--------------|------------------|
| Allergies | Type of reaction |
| | |
| | |
| | |
| | |

| MEDICATION LIST | | | | | |
|---|--------------|-------------------|---------------------------------|--------------|-------------------|
| if noted elsewhere in chart, indicate location: _____ | | | | | |
| Herbals, supplements, OTC drugs, substances of abuse | Date started | Date discontinued | Rx meds, dose, frequency, route | Date started | Date discontinued |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| PROBLEM LIST | | | | |
|------------------|------------|-------------------------------|--------------|---------|
| Chronic problems | Date added | Managing physician (if other) | Date updated | Initial |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Patient Name _____

Today's Date _____

| PROBLEM LIST <small>continued</small> | | | | |
|---------------------------------------|------------|-------------------------------|--------------|---------|
| Acute problems (R=resolved) | Date added | Managing physician (if other) | Date updated | Initial |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| OTHER PHYSICIANS AND PROVIDERS OF CARE this documentation not required for IPPE | | |
|--|--------------|-------------------|
| Name & specialty/provider type | Type of care | Date discontinued |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

➔ Physician/other provider sign here to indicate review/notation of pertinent history: _____

| DEPRESSION SCREENING | | |
|---|------------------------------|-----------------------------|
| 1. Over the past two weeks, has the patient felt down, depressed or hopeless? | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| 2. Over the past two weeks, has the patient felt little interest or pleasure in doing things? | <input type="checkbox"/> Yes | <input type="checkbox"/> No |

| FUNCTIONAL ABILITY/SAFETY SCREENING | | |
|---|------------------------------|-----------------------------|
| 1. Was the patient's timed Up & Go test unsteady or longer than 30 seconds? | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| 2. Does the patient need help with the phone, transportation, shopping, preparing meals, housework, laundry, medications or managing money? | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| 3. Does the patient's home have rugs in the hallway, lack grab bars in the bathroom, lack hand-rails on the stairs or have poor lighting? | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| 4. Have you noticed any hearing difficulties? | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| Hearing evaluation: | | |
| A "yes" response to any of the above questions regarding depression or function/safety should trigger further evaluation. | | |

| EVALUATION OF COGNITIVE FUNCTION this documentation not required for IPPE |
|--|
| Mood/affect |
| Appearance |
| Family member/caregiver input |

Patient Name _____

Today's Date _____

VISION EXAMINATION

Visual acuity: L _____ R _____

**ELECTROCARDIOGRAM REFERRAL OR RESULT
if performed/ordered (covered benefit for IPPE)**

**ADVICE/REFERRALS
based on history, exam and screening (including risks, interventions underway or planned, and benefits)**

**POTENTIAL RECOMMENDATIONS NOT COVERED AS MEDICARE PART B PREVENTIVE SERVICES
this documentation not required for IPPE**

Patients should contact their Part-D plan for information on preventive vaccines benefits.

| | |
|-------------------------|--------------------|
| Varicella vaccine | Aspirin therapy |
| Zoster vaccine (once) | Calcium supplement |
| Tdap vaccine (10 years) | Social services |
| Td vaccine (10 years) | Dietary counseling |
| MMR vaccine | |
| Meningococcal vaccine | |
| Hep A vaccine | |
| | |
| | |
| | |

HANDOUTS REVIEWED AND DISCUSSED WITH PATIENT

Patient Name _____

Today's Date _____

Create two copies of this page: One for your charts and one to give to your patient.

COUNSELING AND REFERRAL OF OTHER PREVENTIVE SERVICES

(Italic type indicates deductible and co-insurance are waived.)

| SERVICE | LIMITATIONS | RECOMMENDATION | SCHEDULED |
|---|---|----------------|-----------|
| Vaccines <ul style="list-style-type: none"> • Pneumococcal (once after 65) • Influenza (annually) • Hepatitis B (if medium/high risk) | Medium/high risk factors: End-stage renal disease Hemophiliacs who received Factor VIII or IX concentrates Clients of institutions for the mentally retarded Persons who live in the same house as a HepB virus carrier Homosexual men Illicit injectable drug abusers | | |
| <i>Mammogram (biennial age 50-74)</i> | Annually (age 40 or over) | | |
| <i>Pap and pelvic exams (up to age 70 and after 70 if unknown history or abnormal study last 10 years)¹</i> | Every 24 months except high risk | | |
| Prostate cancer screening (annually to age 75) Digital rectal exam (DRE) <i>Prostate specific antigen (PSA)</i> | Annually (age 50 or over), DRE not paid separately when covered E/M service is provided on same date | | |
| Colorectal cancer screening (to age 75) <ul style="list-style-type: none"> • <i>Fecal occult blood test (annual)</i> • <i>Flexible sigmoidoscopy (5y)</i> • <i>Screening colonoscopy (10y)</i> • Barium enema | | | |
| Diabetes self-management training (no USPSTF recommendation) | Requires referral by treating physician for patient with diabetes or renal disease. 10 hours of initial DSMT sessions of no less than 30 minutes each in a continuous 12-month period. 2 hours of follow-up DSMT in subsequent years. | | |
| <i>Bone mass measurements (age 65 & older, biennial)</i> | Requires diagnosis related to osteoporosis or estrogen deficiency. Biennial benefit unless patient has history of long-term glucocorticoid tx or baseline is needed because initial test was by other method. | | |
| Glaucoma screening (no USPSTF recommendation) | Diabetes mellitus, family history African American, age 50 or over Hispanic American, age 65 or over | | |
| <i>Medical nutrition therapy for diabetes or renal disease (no recommended schedule)</i> | Requires referral by treating physician for patient with diabetes or renal disease. Can be provided in same year as diabetes self-management training (DSMT), and CMS recommends medical nutrition therapy take place after DSMT. Up to 3 hours for initial year and 2 hours in subsequent years. | | |

Patient Name _____

Today's Date _____

| SERVICE | LIMITATIONS | RECOMMENDATION | SCHEDULED |
|--|--|----------------|-----------|
| <p><i>Cardiovascular screening blood tests (every 5 years)</i></p> <ul style="list-style-type: none"> • Total cholesterol • High-density lipoproteins • Triglycerides | Order as a panel if possible. | | |
| <p><i>Diabetes screening tests (at least every 3 years, Medicare covers annually or at 6-month intervals for prediabetic patients)</i></p> <ul style="list-style-type: none"> • Fasting blood sugar (FBS) or glucose tolerance test (GTT) | <p>Patient must be diagnosed with one of the following:</p> <ul style="list-style-type: none"> • Hypertension • Dyslipidemia • Obesity (BMI ≥ 30 kg/m²) • Previous elevated impaired FBS or GTT <p>... or any two of the following:</p> <ul style="list-style-type: none"> • Overweight (BMI ≥ 25 but < 30) • Family history of diabetes • Age 65 years or older • History of gestational diabetes or birth of baby weighing more than 9 pounds | | |
| <p><i>Abdominal aortic aneurysm screening (once)</i></p> <ul style="list-style-type: none"> • Sonogram | <p>Patient must be referred through IPPE and not have had a screening for abdominal aortic aneurysm before under Medicare. Limited to patients who meet one of the following criteria:</p> <ul style="list-style-type: none"> • Men who are 65-75 years old and have smoked more than 100 cigarettes in their lifetime • Anyone with a family history of abdominal aortic aneurysm • Anyone recommended for screening by the USPSTF | | |
| <p><i>HIV screening (annually for increased risk patients)</i></p> <ul style="list-style-type: none"> • HIV-1 and HIV-2 by EIA, ELISA, rapid antibody test or oral mucosa transudate | Patient must be at increased risk for HIV infection per USPSTF guidelines or pregnant. Tests covered annually for patients at increased risk. Pregnant patients may receive up to 3 tests during pregnancy. | | |
| <p><i>Smoking cessation counseling (up to 8 sessions per year)</i></p> <ul style="list-style-type: none"> • Counseling greater than 3 and up to 10 minutes • Counseling greater than 10 minutes | Patients must be asymptomatic of tobacco-related conditions to receive as a preventive service. | | |
| <i>Subsequent annual wellness visit</i> | At least 12 months since last AWV | | |

Physician's signature: _____ Date: _____

1. Recommendation of American Cancer Society; see <http://www.uspreventiveservicestaskforce.org/3rduspstf/cervcan/cervcanrr.htm#clinical> for more information.